

SAFETY DATA SHEET

Clean Soft Ultra Revision Date 12/19/2015

CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME Clean Soft Ultra

ITEM 001405
001415

PRODUCT USE Concentrated Fabric Softener

COMPANY NAME Magnus Office (855) 962-4687

368 W Royal Lane, Suite# 155A Fax

Irving, TX 75063 Web www.magnusdist.com

EMERGENCY TELEPHONE NUMBER CHEMTREC (800) 424-9300

SECTION – 2 HAZARDS INFORMATION

Health Hazards EYES-Category 2B

Environmental ACUTE-Aquatic Toxicity-Category 2; CHRONIC-Aquatic Toxicity-Category 2

Warning Causes eye irritation

May be harmful if swallowed, Avoid eye or prolonged skin contact, and inhalation of mist, Use personal protective

equipment as required. Wash thoroughly after handling. Avoid release into the environment

SECTION - 3 COMPOSITION INFORMATION (Exact percentage of the listed chemicals of composition has been withheld as a trade secret)

CHEMICAL NAMECOMMON NAME AND SYNONYMSCAS #IMPURITIESPERCENTQuaternary Ammonium MethylMethyl bis(tallowamido ethyl) -2- hydroxyethyl68410-69-5Isopropanol < 12%</td>5 - 15%

Sulfate ammonium methyl sulfate

SECTION – 4 FIRST AID MEASURES

EYE CONTACT Immediately flush eyes with cold water for several minutes while lifting upper and lower eyelids, Remove contact

lenses if present and easy to do without injury to the eye and continue rinsing, If irritation persists seek medical aid

SKIN CONTACT Wash contaminated skin with plenty of water, Remove any contaminated clothing and wash before reuse, If irritation

occurs or persists seek medical aid

INHALATION Not Applicable

INGESTION DO NOT INDUCE VOMITING. If person is fully conscious give one to two glasses of water to dilute and obtain

immediate medical attention. If vomiting occurs, keep head below hips to prevent aspiration into the lungs

Aspiration Hazard Not applicable

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Causes eye irritation, discomfort, redness, tearing, burning sensation, by direct product eye contact

Skin May cause mild skin irritation, itching, redness, drying or cracking

Inhalation Not applicable

Ingestion May be harmful if swallowed

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes eye irritation, redness, tearing, burning, or pain, by direct product eye contact

Skin Can cause mild skin irritation, defatting of the skin which may lead to dermatitis

Inhalation Spray mist may cause mild irritation, to respiratory tract

Ingestion May be harmful if swallowed, May cause irritation, of the mouth, throat, and esophagus

SECTION - 5 FIRE FIGHTING MEASURES

Extinguishing Media Not flammable: Use extinguishing media for surrounding fire

Hazardous Decomposition Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, and other toxic fumes

Reactive With Incompatible with, strong oxidizing agents, chlorine, acids, Isocyanates

Explosion Hazards No particular fire or explosion hazard

Static Discharge Not applicable

Mechanical Impact Not applicable

Protective Equipment Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear

SECTION – 6 ACCIDENTAL RELEASE MEASURES

Emergency Procedures Warn personnel of spill

Personal Precautions Avoid slipping on spilled product

Protective Equipment Safety Glasses, Gloves

Containment Use rags or towels to prevent spill from spreading, Prevent spill from entering the environment

Clean Up Procedures Small Spills: Use wet vacuum or mop and wringer to pick up spilled material then mop area with clean water

Large Spills: Absorb spill with inert material, place in a chemical waste container, mop area with clean water

Dispose of material in accordance with all State and Federal Guidelines and Regulations

SECTION – 7 HANDLING AND STORAGE

Handling Keep away from incompatible materials, Use appropriate safety equipment, Wash thoroughly after handling,

Avoid release to the environment, Triple rinse container before discarding

Storage KEEP OUT OF REACH OF CHILDREN. Keep container closed when not in use. Store in a cool dry place away

from incompatible materials

Incompatible Materials Incompatible with, strong oxidizing agents, chlorine, acids, Isocyanates

SECTION – 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS					Significant
CHEMICAL NAME	ACGIH (TWA 8)	ACGIH (STEL)	OSHA PEL (TWA 8)	OSHA (CEIL)	Exposure
Quaternary Ammonium Methyl Sulfate	None Establiashed				
Isopropyl Alcohol	200 ppm (A4)	400 ppm	400 ppm	500 ppm (1225 mg/m³)	CNS


PERSONAL PROTECTIVE EQUIPMENT



Disposal



(Recommended)



HMIS HAZARD RATINGS Health 1 Flammability 0

Reactivity Personal Protection

•	0
,	0
	Α

SECTION - 9 PH	YSICAL AND CHEMICAL PROPERTIES		
Flash Point	> 93.3°C (200°F) - TAG Closed Cup	Specific Gravity / Density	0.995
Flammable Limits	ND	pH (± 0.3)	7.5
Auto-Ignition Temp.	ND	Viscosity	ND
Physical State	Liquid	Freeze Point	0°C (32°F)
Appearance	Opaque Purple	Boiling Point	100°C (212°F)
Odor	Lavender	Vapor Density (air=1)	ND
Odor Threshold	ND	Vapor Pressure (mm Hg)	ND
Solubility	100%	Evaporation Rate (nBuAc=1)	ND
Volatiles	< 93%	Partition Coefficient	ND
VOC	< 1.5%	Molecular Weight (g/mol)	ND
LVP-VOC	0%	Decomposition Temperature	ND
SECTION 40 ST	ADILITY AND DEACTIVITY		

SECTION – 10 STABILITY AND REACTIVITY

Reactivity (Specific Test Data) No specific test data related to reactivity available for this product or its ingredients

Chemical Stability Stable when stored above 4.4°C (40°F) and below 49°C (120°F)

Hazardous Polymerization Will not occur

Conditions To Avoid Incompatible materials

Incompatible Materials Incompatible with, strong oxidizing agents, chlorine, acids, Isocyanates

Thermal Decomposition Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, and other toxic fumes

SECTION – 11 TOXICOLOGICAL INFORMATION

ROUTES OF EXPOSURE

Eyes (Yes), Skin (Yes), Inhalation (Yes "Mist"), Ingestion (Yes)

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Causes eye irritation, discomfort, redness, tearing, burning sensation, by direct product eye contact

Skin May cause mild skin irritation, itching, redness, drying or cracking

Inhalation Not applicable

Ingestion May be harmful if swallowed

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes eye irritation, redness, tearing, burning, or pain, by direct product eye contact

Skin Can cause mild skin irritation, defatting of the skin which may lead to dermatitis

Inhalation Spray mist may cause mild irritation, to respiratory tract

Ingestion May be harmful if swallowed. May cause irritation, of the mouth, throat, and esophagus

Acute Tox Calculated Oral: > 5,000 mg/kg Dermal: > 5,000 mg/kg Inhaled: > 50.0 mg/L

Acute Tox Category Not applicable (Oral >5000 mg/kg), Not applicable (Dermal > 5000 mg/kg), Not applicable (Inhaled >12.5 mg/L) Dust or Mist

Additional Info

Target Organs No target organs listed

Medical Conditions Preexisting, eye, skin, disorders may be aggravated by exposure to this product

Notes to Physician Treat symptoms

CARCINOGENIC – This product contains concentrations above 0.1% of the following:

CHEMICAL NAMENTPACGIHIARCGHS Category

None Listed NA NA NA NA

MUTAGENIC AND REPRODUCTIVE EFFECTS - This product contains concentrations above 0.1% of the following:

CHEMICAL NAME Germ Cell Mutagenicity Toxic to Reproduction

None Listed NA NA

COMPONENTS ACUTE TOXICITY

CHEMICAL NAME	<u>Type</u>	<u>Form</u>	<u>Subject</u>	Result Value	Exposure Time	GHS Category
Isopropyl Alcohol	LD50	Oral	Rat	5,045 mg/kg		(>2000 mg/kg)
	LC50	Inhalation	Rat	78.6 mg/L	4 Hours (Vapor)	(>20 mg/L)
	LD50	Dermal	Rabbit	12,870 mg/kg		(>2000 mg/kg)
Quaternary Ammonium Methyl Sulfate	LD50	Rat	Oral	> 5000 mg/kg		(>2000 mg/kg)
	LD50	Rat	Dermal	> 2000 mg/kg		(>2000 mg/kg)

L INFORMAT	ION			
<u>Type</u>	Subject Subject Latin	Result Value	Exposure Time	GHS Category
LC50	Fish (Leuciscus idus)	>100 mg/L	96 Hours	4 (>100 mg/L)
LC50	Fathead Minnow (Pimephales promelas)	9,640 mg/L	96 Hours	4 (>100 mg/L)
EC50	Water Flea (Daphnia magna)	5,102 mg/L	24 Hours	4 (>100 mg/L)
LC50	Fish (Unknown species)	0.62 mg/L	96 Hours	1 (≤1 mg/L)
EC50	Algae (Not specified)	1.33 mg/L	72 Hours	2 (>1, ≤10 mg/L)
EC50	Water Flea (Daphnia magna)	0.3 mg/L	48 Hours	1 (≤1 mg/L)
	Type LC50 LC50 EC50 LC50	LC50 Fish (Leuciscus idus) LC50 Fathead Minnow (Pimephales promelas) EC50 Water Flea (Daphnia magna) LC50 Fish (Unknown species) EC50 Algae (Not specified)	TypeSubject Subject LatinResult ValueLC50Fish (Leuciscus idus)>100 mg/LLC50Fathead Minnow (Pimephales promelas)9,640 mg/LEC50Water Flea (Daphnia magna)5,102 mg/LLC50Fish (Unknown species)0.62 mg/LEC50Algae (Not specified)1.33 mg/L	TypeSubject Subject LatinResult ValueExposure TimeLC50Fish (Leuciscus idus)>100 mg/L96 HoursLC50Fathead Minnow (Pimephales promelas)9,640 mg/L96 HoursEC50Water Flea (Daphnia magna)5,102 mg/L24 HoursLC50Fish (Unknown species)0.62 mg/L96 HoursEC50Algae (Not specified)1.33 mg/L72 Hours

Presistence And Degradability This product is inherently biodegradable according to the OECD definition

Bioaccumulative Potential No data available

Mobility In SoilThis material is a partially mobile liquidOther Adverse EffectsToxic to aquatic life with long lasting effects

SECTION – 13 DISPOSAL CONSIDERATIONS

DO NOT DUMP INTO ANY STORM SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER

Dispose of any waste in accordance with all State and Federal Guidelines and Regulations

ENVIRONMENTAL FATE

Under RCRA rules, it is the responsibility of the user of the product to determine, at the time of disposal, whether the material is a hazardous waste.

CONTAINER DISPOSAL - Triple rinse empty container then offer for recycling. If not available, puncture and dispose in a sanitary landfill.

SECTION – 14 TRANSPORT INFORMATION

DOT CLASSIFICATION

UN Number Proper Shipping Name n.o.s. (Chemicals) or "Limits"

Not Regulated Non Hazardous – Compounds Cleaning Liquid

<u>Hazard Class</u> <u>Packing Group</u> <u>Label Codes</u> <u>Reportable Quantity (lbs)</u> <u>Response</u> <u>Marine Pollutant</u> <u>Hazard Label</u> <u>Secondary</u>

None None None 154 No

Additional Info:

TSCA													
CHEMICAL NAME	Sec 8(b)	Inventory	s	ec 8(d) l	Health A	nd Safety	S	ec 4(a) Chemi	ical Test Ru	les	Sec 12(k) Export	Notification
Quaternary Ammonium Methyl Sulfate	Ye	es											
Isopropyl Alcohol	Ye	es			Yes								
REPORTABLE QUANTITIES	E	Extremely	Hazardou	s		Reportable Q	uantity	Emission I	Reporting				
CHEMICAL NAME	EPCRA TP	Q Sec 302	EPCRA	RQ Sec	304	CERCLA RQ	Sec 103	TRI Se	c 313	RCI	RA Code	RMP	TQ Sec 112
2-Propanol								Υe	es				
1,4-dioxane < 0.1						100		Υe	es	ι	J108		
SARA	Se	ction 31	1				Sect	ion 311 / 31	2 Hazards	3			
CHEMICAL NAME	Hazard	lous Che	emical		Acute	C	hronic	Flar	nmable	ı	Pressure		Reactive
Quaternary Ammonium Methyl Sulfate		Yes			Yes				Yes				
Isopropyl Alcohol		Yes			Yes		Yes		Yes				
RIGHT TO KNOW						STATE							
CHEMICAL NAME	CA	CT	FL	IL	LA	NJ	NY	PA	MI	MN	MA	RI	WI
Isopropyl Alcohol			Yes			Yes		Yes	,	Yes	Yes	Yes	
CALIFORNIA			WARNI	NG! Th	is pro	duct contair	ns cher	nicals knov	vn to the s	state o	of Californ	nia to ca	ause:
CHEMICAL NAME	CAS#		Birth D	efects		Reproduc	tive Ha	rm	Carcinog	en		evelop	mental
1,4-dioxane < 0.01%	123-91-1		Yes Yes										
Methanol < 0.01%	67-56-1											Ye	s
CLEAN AIR WATER ACTS			Clean	Air Ac	ts				CI	ean W	ater Acts		
CHEMICAL NAME	CAS#		HAP		Ozoı	ne Class 1	Ozo	ne Class 2	н	3	PP		TP
None Listed													
INTERNATIONAL REGULATIONS	 The compo 	nents of	this prod	uct are	listed o	on the chemi	ical inve	entories of th	ne followin	g cour	ntries:		
CHEMICAL NAME	Austra	alia	Ca	ınada	E	urope (EINI	ECS)	Japan		Ko	orea		UK
Quaternary Ammonium Methyl Sulfate	Yes	S	Yes							Yes			Yes
Isopropyl Alcohol	Yes	S	•	Yes		Yes		Yes		Υ	'es		Yes
WHMIS Classification													
CHEMICAL NAME		DSL	Class	Desc	ription	1							
Isopropyl Alcohol		Yes	D-2B	Mate	rials (Causing Oth	her To	xic Effects;	Toxic Ma	aterial	I		

SECTION – 16 OTHER INFORMATION

<u>SDS</u>	LEGEND DESCRIPTION		
ACGIH	American Conference of Governmental Industrial Hygienists	LC50	A concentration that is lethal to 50% of a given species in a given time
CAS	Chemical Abstracts Service Registry	LD50	Dose that is lethal to 50% of a given species by a given route of exposure
CEIL	Ceiling Limit (15 minutes)	LEL	Lower Explosive Limit
CERCI	Comprehensive Environmental Response, Compensation, and Liability Act	LD	Liver Damage
CI	Cochlear Impairment	NA	Not Applicable
CNS	Central Nervous System	ND	Not Determined
EC50	Concentration of a chemical that gives half-maximal response	NFPA	National Fire Protection Association
EPA	Environmental Protection Agency	NIOSH	National Institute for Occupational Safety and Health
Eye	(EI = Irritation) (ED = Damage) (EV = Visual Impairment)	NE	Not Established
FBG	Full Bunker Gear	NTP	National Toxicology Program
GHS	Globally Harmonized System	OSHA	Occupational Safety and Health Administration
HAP	California Hazardous air pollutant Clean Air Act	PEL	Permissible Exposure Limit (OSHA)
HMIS-	A Safety Glasses	PNS	Peripheral Nervous System
HMIS-I	3 Safety glasses, gloves	PP	California Priority Pollutant under the Clean Water Act
HMIS-0	Safety glasses, gloves, chemical apron	REL	Recommended exposure limit (NIOSH)
HMIS-I	Prace shield, gloves, chemical apron	RT	Upper Respiratory Tract
HMIS-I	Safety glasses, gloves, dust respirator	Skin	(SI = Irritation) (SD = Damage) (SA = Absorption) (SS = Sensitizer)
HMIS-I	Safety glasses, gloves, chemical apron, dust respirator	SARA	Superfund Amendments and Reauthorization Act
HMIS-0	Safety glasses, gloves, vapor respirator	STEL	Short Term Exposure Limit (15 minutes)
HMIS-I	Splash goggles, gloves, chemical apron, vapor respirator	TC Lo	Lowest concentration that is toxic to a given species in a given time
HMIS-I	Safety glasses, gloves, dust and vapor respirator	TD Lo	Lowest dose that is toxic to a given species
HMIS-	Splash goggles, gloves, chemical apron, dust and vapor respirator	TLV	Threshold Limit Value (ACGIH)
HMIS-I	Air line hood or mask, gloves, full chemical suit, boots	TP	California Toxic Pollutant under the Clean Water Act
HMIS-2	Ask Supervisor	TSCA	Toxic Substances Control Act
HS	California Hazardous Substance under the Clean Water Act	TWA	Time Weighted Average (8 hours)
KD	Kidney Damage (nephropathy)	UEL	Upper Explosive Limit

Magnus

and nCites LLC have compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever for any and all injuries, losses, or damages to persons or property arising from the use of this product or information.

Print Date 12/30/2015

Supersedes Safety Data Sheet Dated