# SAFETY DATA SHEET

Issue Date 01-Apr-2013 Revision Date 29-Sep-2016 Version 2

# 1. PRODUCT AND COMPANY IDENTIFICATION

**Product identifier** 

**Product Code** 603006 15770

Product Name Grease Clean HD

### Other means of identification

### Recommended use of the chemical and restrictions on use

Use only for the purpose on the product label.

### Details of the supplier of the safety data sheet

### Manufacturer / Manufactured For

Magnus 3680 West Royal Lane Suite #155A Irving, TX 75063 1-855-962-4687 www.magnusdist.com

Emergency telephone number

24 Hour Emergency Phone Number Chemtrec 1-800-424-9300

# 2. HAZARDS IDENTIFICATION

### Classification

Acute toxicity - Oral	Category 5
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Acute aquatic toxicity	Category 3
Chronic aquatic toxicity	Category 3

#### Label elements

# **Emergency Overview**

#### Danger

Yellow

# Hazard statements

May be harmful if swallowed
Causes severe skin burns and eye damage
Harmful to aquatic life with long lasting effects



Appearance Colorless to Very Pale

Physical state Liquid

**Odor** Surfactant

### **Precautionary Statements - Prevention**

Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after handling. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Avoid release to

the environment.

#### **Precautionary Statements - Response**

Specific Treatment (See Section 4 on the SDS).

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. See a physician.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If burns develop, see a physician.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. Drink plenty of water. See a physician immediately.

### **Precautionary Statements - Storage**

Store locked up. Keep out of reach of children.

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant.

#### Hazards not otherwise classified (HNOC)

Other Information

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Potassium Hydroxide	1310-58-3	1-5	*
2-butoxyethanol	111-76-2	1-5	*
Sodium Dodecylbenzene Sulfonate	25155-30-0	1-5	*
Sodium Metasilicate	6834-92-0	1-5	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

#### First aid measures

**Skin Contact** Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Wash contaminated clothing before reuse. If irritation persists or burns occur, get medical attention. For minor skin contact, avoid spreading material on unaffected

skin. For severe burns, immediate medical attention is required.

Eye contact Immediate medical attention is required. Immediately flush with plenty of water. After initial

flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye

wide open while rinsing. Do not rub affected area.

Inhalation If mists/vapors are formed or irritation occurs, leave area and do not return until

mists/vapors have dissipated. If irritation persists, call a physician. If breathing is difficult, give oxygen. If breathing has stopped, give artificial respiration. Get medical attention

immediately.

Immediate medical attention is required. Rinse mouth. Do NOT induce vomiting. Drink

plenty of water. Never give anything by mouth to an unconscious person.

Self-protection of the first aider Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

#### Most important symptoms and effects, both acute and delayed

Symptoms Irritation or burning to mucous membranes. May cause irritation and/or burning to eyes and

skin.

# Indication of any immediate medical attention and special treatment needed

Note to physicians

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

**Explosion data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid

contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.

**Environmental precautions** 

**Environmental precautions**Do not allow into any sewer, on the ground or into any body of water. Should not be

released into the environment. Prevent further leakage or spillage if safe to do so. Prevent

product from entering drains.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Dilute material with dilute acetic acid (vinegar) to a pH of less than 10.

# 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation,

wear suitable respiratory equipment.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children. Keep in properly labeled containers.

Incompatible materials Strong acids and oxidizing agents. Strong acids. Aluminum.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Guidelines** This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium Hydroxide 1310-58-3	Ceiling: 2 mg/m <sup>3</sup>	(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>
2-butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m³ (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m³
Tetrasodium Pyrophosphate 7722-88-5	-	(vacated) TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

**Appropriate engineering controls** 

**Engineering Controls** Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles.

**Skin and body protection** Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators or air purifying respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene When using do not eat, drink or smoke. Avoid contact with skin, eyes or clothing. Wear

suitable gloves and eye/face protection. Take off all contaminated clothing and wash it before reuse. Contaminated work clothing should not be allowed out of the workplace.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state Liquid

Appearance Colorless to Very Pale Yellow

**Odor** Surfactant

Odor threshold No Information available

Property Values Remarks • Method

**pH** 11.0-13.0 1% solution

Specific Gravity 1.105

Viscosity
No Information available
Melting point/freezing point
No Information available

Boiling point / boiling range > 212 ° F Flash point N/D

Evaporation rate < 1 (butyl acetate = 1)

Flammability (solid, gas) No Information available

Upper flammability limit:N/ALower flammability limit:N/AVapor pressureN/A

#### **Grease Clean HD**

Vapor density N/A

Water solubility completely soluble Partition Coefficient No Information available

(n-octanol/water)

Autoignition temperature No Information available No Information available

**Other Information** 

Density Lbs/Gal No Information available

**VOC Content (%)** 4.43

# 10. STABILITY AND REACTIVITY

### Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

### **Possibility of Hazardous Reactions**

None under normal processing.

# **Conditions to avoid**

Elevated temperature.

#### Incompatible materials

Strong acids and oxidizing agents. Strong acids. Aluminum.

# **Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Oxides of carbon.

# 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

Product Information No data available

**Inhalation** Causes burns.

Eye contact Corrosive to the eyes and may cause severe damage including blindness.

**Skin Contact** The product causes burns of eyes, skin and mucous membranes.

**Ingestion** Causes burns. May be harmful if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Potassium Hydroxide 1310-58-3	= 284 mg/kg(Rat)	-	-
2-butoxyethanol 111-76-2	= 470 mg/kg (Rat)	= 99 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h
Sodium Dodecylbenzene Sulfonate 25155-30-0	= 500 mg/kg ( Rat ) = 438 mg/kg ( Rat )	-	-
Sodium Metasilicate 6834-92-0	= 1153 mg/kg ( Rat )	-	-
Sodium Nitrite 7632-00-0	= 85 mg/kg (Rat)	-	= 5.5 mg/L (Rat) 4 h

### Information on toxicological effects

Symptoms No Information available.

Revision Date 29-Sep-2016

#### **Grease Clean HD**

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Corrosivity Causes burns. Extremely corrosive and destructive to tissue. Risk of serious damage to

eyes.

**Sensitization Germ cell mutagenicity**No Information available.
No Information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
2-butoxyethanol 111-76-2	A3	Group 3	-	-

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer) Group 3 -Not classifiable as a human carcinogen

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No Information available.
No Information available.

Chronic toxicity Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw

necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure. Possible risk of irreversible effects. May cause adverse effects on the bone marrow and

blood-forming system. May cause adverse liver effects.

Target organ effects Blood, Central nervous system, EYES, hematopoietic system, Kidney, Liver, Respiratory

system, Skin.

**Aspiration hazard** No Information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

### 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

10.91% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Potassium Hydroxide	-	80: 96 h Gambusia affinis mg/L	-
1310-58-3		LC50 static	
2-butoxyethanol	-	1490: 96 h Lepomis macrochirus	1000: 48 h Daphnia magna mg/L
111-76-2		mg/L LC50 static 2950: 96 h	EC50 1698 - 1940: 24 h Daphnia
		Lepomis macrochirus mg/L LC50	magna mg/L EC50
Sodium Tripolyphosphate	-	1650: 48 h Leuciscus idus mg/L	-
7758-29-4		LC50	
Sodium Dodecylbenzene Sulfonate	-	10.8: 96 h Oncorhynchus mykiss	-
25155-30-0		mg/L LC50 static	
Linear Dodecyl Benzene Sulphonic	29: 96 h Pseudokirchneriella	10.8: 96 h Oncorhynchus mykiss	5.88: 48 h Daphnia magna mg/L
Acid	subcapitata mg/L EC50	mg/L LC50 static 3.5 - 10: 96 h	EC50
27176-87-0		Brachydanio rerio mg/L LC50 static	
Sodium Metasilicate	-	210: 96 h Brachydanio rerio mg/L	216: 96 h Daphnia magna mg/L
6834-92-0		LC50 210: 96 h Brachydanio rerio	EC50
		mg/L LC50 semi-static	
Sodium Hydroxide	-	45.4: 96 h Oncorhynchus mykiss	-
1310-73-2		mg/L LC50 static	
2-Ethyl Hexanol	11.5: 72 h Desmodesmus	10.0 - 33.0: 96 h Lepomis	39: 48 h Daphnia magna mg/L
104-76-7	subspicatus mg/L EC50	macrochirus mg/L LC50 static 32 -	EC50
		37: 96 h Oncorhynchus mykiss	
		mg/L LC50 static 7.5: 96 h	
		Oncorhynchus mykiss mg/L LC50	
		29.7: 96 h Pimephales promelas	
		mg/L LC50 static 27 - 29.5: 96 h	
		Pimephales promelas mg/L LC50	
O a diama Nijetia		flow-through	
Sodium Nitrite	-	2.3: 96 h Pimephales promelas	-
7632-00-0		mg/L LC50 flow-through 0.092 -	
		0.13: 96 h Oncorhynchus mykiss	
		mg/L LC50 flow-through 20: 96 h	

	Pimephales promelas mg/L LC50	_
	static 0.4 - 0.6: 96 h Oncorhynchus	
	mykiss mg/L LC50 semi-static 0.65 -	
	1: 96 h Oncorhynchus mykiss mg/L	
	LC50 static 0.19: 96 h	
	Oncorhynchus mykiss mg/L LC50	
	flow-through	
Sodium Sulfate	- 13500: 96 h Lepomis macrochirus	630: 96 h Daphnia magna mg/L
7757-82-6	mg/L LC50 13500 - 14500: 96 h	EC50 2564: 48 h Daphnia magna
	Pimephales promelas mg/L LC50	mg/L EC50
	3040 - 4380: 96 h Lepomis	_
	macrochirus mg/L LC50 static 6800:	
	96 h Pimephales promelas mg/L	
	LC50 static	
Sulfuric Acid	- 500: 96 h Brachydanio rerio mg/L	29: 24 h Daphnia magna mg/L
7664-93-9	LC50 static	EC50

# Persistence and degradability

No Information available.

#### **Bioaccumulation**

No Information available.

Chemical Name	Partition coefficient
Potassium Hydroxide	0.65
1310-58-3	0.83
2-butoxyethanol	0.81
111-76-2	

Other adverse effects No Information available.

# 13. DISPOSAL CONSIDERATIONS

### Waste treatment methods

**Disposal of wastes**Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Potassium Hydroxide	Toxic
1310-58-3	Corrosive

# 14. TRANSPORT INFORMATION

The shipping classification information in this section (Section 14) is meant as a guide to the overall classification of the product. However, transportation classifications may be subject to change with changes in package size. Consult shipper requirements under 49 CFR, IATA and IMDG to assure regulatory compliance.

### DOT

DOT Proper Shipping name
UN1760, Corrosive liquid, n.o.s. (contains potassium hydroxide), 8, PG II
Limited Quantity exceptions may apply if packaged according to 49 CFR 173.154.

omplies
mplies
omplies

#### **Grease Clean HD**

**ENCS** Does not comply

IECSCCompliesKECLCompliesPICCSCompliesAICSComplies

# Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List.

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical Name	SARA 313 - Threshold Values %
2-butoxyethanol - 111-76-2	1.0
CADA 241/242 Howard Cotomories	•

#### SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard Yes
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium Hydroxide 1310-58-3	1000 lb	-	-	X
Sodium Dodecylbenzene Sulfonate 25155-30-0	1000 lb	-	-	Х

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Potassium Hydroxide	1000 lb	=	RQ 1000 lb final RQ
1310-58-3			RQ 454 kg final RQ
Sodium Dodecylbenzene Sulfonate	1000 lb	<del>-</del>	RQ 1000 lb final RQ
25155-30-0			RQ 454 kg final RQ

# **US State Regulations**

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Potassium Hydroxide	X	X	Х
1310-58-3			
2-butoxyethanol	X	X	X

111-76-2			
Sodium Dodecylbenzene Sulfonate 25155-30-0	Х	X	X
Tetrasodium Pyrophosphate 7722-88-5	Х	X	Х
2-Ethyl Hexanol 104-76-7	-	X	Х
Sodium Trimetaphosphate 7785-84-4	-	Х	Х
Sodium Nitrite 7632-00-0	Х	X	Х
Sodium Sulfate 7757-82-6	-	X	X

U.S. EPA Label Information

**EPA Pesticide Registration Number** Not Applicable

# **16. OTHER INFORMATION**

HMIS Health hazards 3 Flammability 1 Physical hazards N/A Personal protection X

Legend

N/A - Not Applicable
N/E - Not Established
N/D - Not Determined
N/K - Not Known

Issue Date01-Apr-2013Revision Date29-Sep-2016Revision NoteNew format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**