Issue Date No data available Revision Date 21-Nov-2016 Version 2

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Code A0006B 12690

Product Name Lemon Power Bleach Cleanser

Other means of identification

Recommended use of the chemical and restrictions on use

Use only for the purpose on the product label.

Details of the supplier of the safety data sheet

Manufacturer / Manufactured For

Magnus 3680 West Royal Lane Suite #155A Irving, TX 75063 1-855-962-4687 www.magnusdist.com

Emergency telephone number

24 Hour Emergency Phone Number Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Acute aquatic toxicity	Category 2
Chronic aquatic toxicity	Category 2

Label elements

Emergency Overview

Danger

Hazard statements

Causes severe skin burns and eye damage Toxic to aquatic life with long lasting effects



Appearance Clear, Pale yellow/green

Physical state Liquid

Odor Floral Slight chlorine

Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Avoid release to the environment.

Precautionary Statements - Response

Specific Treatment (See Section 4 on the SDS).

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.

Precautionary Statements - Storage

Store locked up.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC)

Other Information

Unknown Acute Toxicity 0.1% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Sodium Hypochlorite	7681-52-9	1-5	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

General advice Immediate medical attention is required.

Skin Contact Immediate medical attention is required. Wash off immediately with soap and plenty of

water while removing all contaminated clothes and shoes. For minor skin contact, avoid spreading material on unaffected skin. For severe burns, immediate medical attention is

required.

Eye contact Immediate medical attention is required. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Immediately flush with plenty of water. After initial flushing, remove any contact lenses

and continue flushing for at least 15 minutes.

Inhalation Remove to fresh air. Call a physician or poison control center immediately. If not breathing,

give artificial respiration. If breathing is difficult, give oxygen.

Ingestion Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water.

Never give anything by mouth to an unconscious person. Remove from exposure, lie down. Clean mouth with water and drink afterwards plenty of water. Call a physician or poison

control center immediately.

Self-protection of the first aider

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other

proper respiratory medical device.

Most important symptoms and effects, both acute and delayed

Symptoms No Information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Explosion data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid

contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.

Environmental precautions

Environmental precautionsDo not allow into any sewer, on the ground or into any body of water. Should not be

released into the environment. Prevent further leakage or spillage if safe to do so. Prevent

product from entering drains.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dilute residual material with dilute acetic acid (vinegar) to pH of less than 10.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed

systems. Do not mix with acids.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers. Keep/store only in original container. Do not reuse container.

Incompatible materials Incompatible with strong acids and bases. Incompatible with oxidizing agents. Strong acids.

Aluminum. Strong reducing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium Hydroxide	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³	IDLH: 10 mg/m ³
1310-73-2		(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles. Face protection shield.

Skin and body protection Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact. Wear protective gloves and protective clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators or air purifying respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Keep

away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing

and wash it before reuse. Wear suitable gloves and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

AppearanceClear, Pale yellow/greenOdorFloral Slight chlorineOdor thresholdNo Information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 11.0 - 12.0 Specific Gravity 1.030

Viscosity
No Information available
Melting point/freezing point
No Information available

Boiling point / boiling range 210 ° F

Flash point

Evaporation rate
Flammability (solid, gas)
Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No Information available

Water solubility Complete

Partition Coefficient No Information available

Lemon Power Bleach Cleanser

(n-octanol/water)

Autoignition temperature No Information available Decomposition temperature No Information available

Other Information

Density Lbs/Gal No Information available

VOC Content (%) 0.04

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Exposure to air or moisture over prolonged periods. Extremes of temperature and direct sunlight.

Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents. Strong acids. Aluminum. Strong reducing agents.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Hydrogen chloride. Phosgene.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information No data available

Inhalation No data available.

Eye contact No data available.

Skin Contact No data available.

Ingestion No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium Hypochlorite	= 8200 mg/kg (Rat)	> 10000 mg/kg (Rabbit)	-
7681-52-9			
Sodium Lauryl Sulfate	= 1288 mg/kg (Rat)	= 580 mg/kg (Rabbit)	> 3900 mg/m ³ (Rat) 1 h
151-21-3			

Information on toxicological effects

Symptoms No Information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization May cause sensitization by inhalation and skin contact.

Germ cell mutagenicity No Information available.

Carcinogenicity This product contains one or more substances which are classified by IARC as

carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly

carcinogenic to humans (Group 2B).

caroning of the Hamane (Group 25).				
Chemical Name	ACGIH	IARC	NTP	OSHA
Sodium Hypochlorite	-	Group 3	-	-

7681-52-9

IARC (International Agency for Research on Cancer) Group 3 -Not classifiable as a human carcinogen

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No Information available.
No Information available.

Chronic toxicity Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw

necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure.

Possible risk of irreversible effects.

Aspiration hazard No Information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0.1% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document

12. ECOLOGICAL INFORMATION

Ecotoxicity

1.255% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Mg/L EC50 Mg/L EC50 Mg/L LC50 flow-through 0.05- 0.771:96 h Oncorhynchus mykls mg/L LC50 Static 0.06 - 0.11: 96 h Pimephales promelas mg/L LC50 flow-through 4.5 - 7.6: 96 h Pimephales promelas mg/L LC50 static 0.03 - 0.19: 96 h Oncorhynchus mykiss mg/L LC50 static 0.03 - 0.19: 96 h Oncorhynchus mykiss mg/L LC50 static 0.03 - 0.19: 96 h Oncorhynchus mykiss mg/L LC50 static 0.03 - 0.19: 96 h Oncorhynchus mykiss mg/L LC50 static 0.03 - 0.19: 96 h Oncorhynchus mykiss mg/L LC50 static 0.03 - 0.19: 96 h Oncorhynchus mykiss mg/L LC50 static 0.03 - 0.19: 96 h Desmodesmus subspicatus mg/L EC50 static 0.03 - 1.19: 96 h Oncorhynchus mykiss mg/L LC50 static 0.03 - 1.19: 96 h Oncorhynchus mykiss mg/L LC50 static 0.2 - 22.5: 96 h Oncorhynchus mykiss mg/L LC50 static 1.2 - 22.5: 96 h Pimephales promelas mg/L LC50 static 1.3 - 8.5: 96 h Oncorhynchus mykiss mg/L LC50 static 1.3 - 8.5: 96 h Oncorhynchus mykiss mg/L LC50 static 1.3 - 8.5: 96 h Oncorhynchus mykiss mg/L LC50 static 1.5 - 18.9: 96 h Pimephales promelas mg/L LC50 static 1.3 - 8.5: 96 h Oncorhynchus mykiss mg/L LC50 static 1.5 - 18.9: 96 h Pimephales promelas mg/L LC50 static 1.5 - 18.9: 96 h Oncorhynchus mykiss mg/L LC50 static 1.5 - 18.9: 96 h Oncorhynchus mykiss mg/L LC50 static 1.5 - 18.9: 96 h Oncorhynchus mykiss mg/L LC50 static 1.5 - 18.9: 96 h Oncorhynchus mykiss mg/L LC50 static 1.5 - 18.9: 96 h Oncorhynchus mykiss mg/L LC50 static 4.2 - 4.8: 96 h Oncorhynchus mykiss mg/L LC50 static 4.2 - 4.8: 96 h Oncorhynchus mykiss mg/L LC50 static 4.2 - 4.8: 96 h Oncorhynchus mykiss mg/L LC50 static 4.2 - 4.8: 96 h Desministatic 4.2 - 4.8: 96 h Desminis	Chemical Name	Algae/aquatic plants	Fish	Crustacea
magna mg/L EC50 Static 10.77f: 96 h Oncorhynchus mykiss mg/L LC50 static on 96 - 0.11: 96 h Pimephales promelas mg/L LC50 static on 96 - 0.11: 96 h Pimephales promelas mg/L LC50 static on 96 - 0.11: 96 h Pimephales promelas mg/L LC50 static on 96 - 0.11: 96 h Pimephales promelas mg/L LC50 static on 96 - 0.11: 96 h Pimephales promelas mg/L LC50 static on 96 - 0.11: 96 h Oncorhynchus mykiss mg/L LC50 static on 96 - 0.11: 96 h Oncorhynchus mykiss mg/L LC50 static on 96 - 0.11: 96 h Lepomis macrochirus mg/L LC50 static on 96 h Lepomis macrochirus mg/L LC50 static on 96 h Desmodesmus subspicatus mg/L EC50 10: 96 h Desmodesmus subspicatus mg/L EC50 10: 96 h Poprinus carpio mg/L LC50 static on 97 - 97 - 96 h Pimephales promelas mg/L LC50 static on 96 h Pimephales promelas mg/L LC50 on 97.97 96 h Pimephales promelas mg/L LC50 on 96 h Pimephales promelas mg/L LC50 on 97.97 96 h Pimephales promelas mg/L LC50 on	Sodium Hypochlorite	0.095: 24 h Skeletonema costatum	0.28 - 1: 96 h Lepomis macrochirus	
mg/L LC50 flow-through 4.5 7-7.6; 96 h Pimephales promelas mg/L LC50 static 0.06 - 0.11: 96 h Pimephales promelas mg/L LC50 flow-through 0.18 - 0.22: 96 h Oncorhynchus mykiss mg/L LC50 static 0.03 - 0.19: 96 h Oncorhynchus mykiss mg/L LC50 static 0.04 - 0.8: 96 h Lepomis macrochirus mg/L LC50 static Sodium Lauryl Sulfate 151-21-3 Sodium Lauryl Sulfate Pseudokirchneriella subcapitata mg/L EC50 31: 96 h Pseudokirchneriella subcapitata mg/L EC50 10: 96 h Desmodesmus subspicatus mg/L EC50 117: 96 h Pseudokirchneriella subcapitata mg/L EC50 10: 96 h Desmodesmus subspicatus mg/L EC50 117: 96 h Pseudokirchneriella subcapitata mg/L EC50 19: 96 h Pseudokirchneriella subcapitata mg/L EC50 10: 96 h Desmodesmus subspicatus mg/L EC50 117: 96 h Pseudokirchneriella subcapitata mg/L EC50 10: 96 h Desmodesmus subspicatus mg/L EC50 117: 96 h Pseudokirchneriella subcapitata mg/L EC50 10: 96 h Desmi-static 22.1 - 22.8: 96 h Pimephales promelas mg/L LC50 static 4.3 - 8.5: 96 h Oncorhynchus mykiss mg/L LC50 static 15 - 18.9: 96 h Pimephales promelas mg/L LC50 static 4.02: 96 h Oncorhynchus mykiss mg/L LC50 static 15 - 18.9: 96 h Pimephales promelas mg/L LC50 static 4.02: 96 h Oncorhynchus mykiss mg/L LC50 semi-static 10: 2 - 22.6: 96 h Pimephales promelas mg/L LC50 static 4.02: 96 h Oncorhynchus mykiss mg/L LC50 semi-static 4.06: - 5.75: 96 h Pimephales promelas mg/L LC50 semi-static 4.06: - 5.75: 96 h Pimephales promelas mg/L LC50 semi-static 4.06: - 5.75: 96 h Pimephales promelas mg/L LC50 semi-static 4.06: - 5.75: 96 h Pimephales promelas mg/L LC50 semi-static 4.06: - 5.75: 96 h Pimephales promelas mg/L LC50 semi-static 4.06: - 5.75: 96 h Pimephales promelas mg/L LC50 semi-static 4.06: - 5.75: 96 h Pimephales promelas mg/L LC50 semi-static 4.06: - 5.75: 96 h Pimephales promelas mg/L LC50 semi-static 4.06: - 5.75: 96 h Pimephales promelas mg/L LC50 semi-static 4.06: - 5.75: 96 h Pimephales promelas mg/L LC50 semi-static 4.06: - 5.75: 96 h Pimephales promelas mg/L LC50 semi-static 4.06: - 5.75: 96 h Pimephales promelas mg/L LC50	7681-52-9	mg/L EC50	mg/L LC50 flow-through 0.05 -	EC50 0.033 - 0.044: 48 h Daphnia
Sodium Lauryl Sulfate 3.59 - 15.6: 96 h Pimephales promelas mg/L LC50 flow-through 0.18 - 0.22: 96 h Oncorbynchus mykiss mg/L LC50 static 0.03 - 0.19: 96 h Oncorbynchus mykiss mg/L LC50 static 0.03 - 0.19: 96 h Oncorbynchus mykiss mg/L LC50 static 0.03 - 0.19: 96 h Oncorbynchus mykiss mg/L LC50 static 0.03 - 0.19: 96 h Oncorbynchus mykiss mg/L LC50 static 0.03 - 0.19: 96 h Oncorbynchus mykiss mg/L LC50 static 0.03 - 0.19: 96 h Oncorbynchus mykiss mg/L LC50 static 0.03 - 0.19: 96 h Oncorbynchus mykiss mg/L LC50 static 0.03 - 0.10: 96 h Oncorbynchus mykiss mg/L LC50 static 0.03 - 10: 96 h Oncorbynchus mykiss mg/L LC50 static 0.03 - 10: 96 h Oncorbynchus mykiss mg/L LC50 static 0.10: 2-25: 96 h Pimephales promelas mg/L LC50 static 0.10: 2-25: 96 h Oncorbynchus mykiss mg/L LC50 static 0.10: 1-25: 96 h Oncorbynchus mykiss mg/L LC50 static 0.10: 1-25: 96 h Oncorbynchus mykiss mg/L LC50 static 0.10: 1-25: 96 h Oncorbynchus mykiss mg/L LC50 static 0.10: 1-25: 96 h Oncorbynchus mykiss mg/L LC50 static 0.10: 1-25: 96 h Oncorbynchus mykiss mg/L LC50 static 0.10: 1-25: 96 h Oncorbynchus mykiss mg/L LC50 static 0.10: 1-25: 96 h Oncorbynchus mykiss mg/L LC50 static 0.10: 1-25: 96 h Oncorbynchus mykiss mg/L LC50 static 0.10: 1-25: 96 h Oncorbynchus mykiss mg/L LC50 static 0.10: 1-25: 96 h Oncorbynchus mykiss mg/L LC50 static 0.10: 1-25: 96 h Oncorbynchus mykiss mg/L LC50 static 0.10: 1-25: 96 h Oncorbynchus mykiss mg/L LC50 static 0.10: 1-25: 96 h Oncorbynchus mykiss mg/L LC50 static 0.10: 1-25: 96 h Oncorbynchus mykiss mg/L LC50 static 0.10: 1-25: 96 h Oncorbynchus mykis Oncorbynchus			0.771: 96 h Oncorhynchus mykiss	magna mg/L EC50 Static
LC50 static 0.06 - 0.11: 96 h Primephales prometas mg/L LC50 flow-through 0.18 - 0.22: 96 h Oncorhynchus mykiss mg/L LC50 static 0.03 - 0.19: 95 h Oncorhynchus mykiss mg/L LC50 static 0.03 - 0.19: 96 h Oncorhynchus mykiss mg/L LC50 static 0.03 - 0.19: 96 h Oncorhynchus mykiss mg/L LC50 static 0.03 - 0.19: 96 h Oncorhynchus mykiss mg/L LC50 static 0.03 - 0.19: 96 h Oncorhynchus mykiss mg/L LC50 static 0.03 - 0.10: 96 h Pseudokirchneriella subcapitata mg/L EC50 10: 96 h Lepomis macrochirus mg/L LC50 static 10: 18: 48 h Daphnia magna mg/L LC50 semi-static 2.1 - 22: 59 6 h Pimephales promelas mg/L LC50 semi-static 0.3 - 3: 96 h Pimephales promelas mg/L LC50 static 4.3 - 8: 59 6 h Oncorhynchus mykiss mg/L LC50 static 10: 2 - 22: 59 6 h Pimephales promelas mg/L LC50 flow-through 4.2: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 9.9 - 20: 1: 96 h Brachydanio rerio mg/L LC50 flow-through 9.9 - 20: 1: 96 h Brachydanio rerio mg/L LC50 semi-static 4.06 - 5: 7: 59 6 h Lepomis macrochirus mg/L LC50 flow-through 6.2 - 9: 96 9 h Pimephales promelas mg/L LC50 semi-static 4.06 - 6: 7: 59 6 h Pimephales promelas mg/L LC50 semi-static 4.06 - 6: 7: 59 6 h Pimephales promelas mg/L LC50 semi-static 4.06 - 6: 7: 59 6 h Pimephales promelas mg/L LC50 semi-static 4.06 - 6: 7: 59 6 h Pimephales promelas mg/L LC50 semi-static 4.06 - 6: 7: 59 6 h Pimephales promelas mg/L LC50 semi-static 4.06 - 6: 7: 59 6 h Pimephales promelas mg/L LC50 semi-static 4.06 - 6: 7: 59 6 h Pimephales promelas mg/L LC50 semi-static 4.06 - 6: 7: 59 6 h Pimephales promelas mg/L LC50 semi-static 4.06 - 6: 7: 59 6 h Pimephales promelas mg/L LC50 semi-static 4.06 - 6: 7: 59 6 h Pimephales promelas mg/L LC50 semi-static 4.06 - 6: 7: 59 6 h Pimephales promelas mg/L LC50 semi-static 4.06 - 6: 96 6 h			mg/L LC50 flow-through 4.5 - 7.6:	
Pimephales promelas mg/L LC50 flow-through 0.18 - 0.22: 96 h Oncorhynchus mykiss mg/L LC50 static 0.03 - 0.19: 96 h Oncorhynchus mykiss mg/L LC50 static 0.03 - 0.19: 96 h Oncorhynchus mykiss mg/L LC50 static 0.03 - 0.19: 96 h Oncorhynchus mykiss mg/L LC50 static 0.03 - 0.10: 96 h Desmodesmus subspicatus mg/L EC50 static 53: 72 h Desmodesmus subspicatus mg/L EC50 117: 96 h Poecilia reticulata mg/L LC50 static 1.31: 96 h Cyprinus carpio mg/L LC50 static 0.2 - 22.5: 96 h Pimephales promelas mg/L LC50 static 0.2 - 22.5: 96 h Pimephales promelas mg/L LC50 static 4.3 - 8.5: 96 h Oncorhynchus mykiss mg/L LC50 static 6.5 static 0.5 static 6.5 static 0.5 static 6.5 static 0.5 static 6.5 static 0.5 static 6.5 stat			96 h Pimephales promelas mg/L	
flow-through 0.18 - 0.22 - 96 h Oncorhynchus mykiss mg/L LC50 static 0.03 - 0.19: 96 h Oncorhynchus mykiss mg/L LC50 semi-static 0.4 - 0.8: 96 h Lepomis macrochirus mg/L LC50 static 151-21-3 Sodium Lauryl Sulfate 151-21-3 Pseudokirchneriella subcapitata mg/L EC50 181 c 53: 72 h Desmodesmus subspicatus mg/L EC50 30 - 100: 96 h Desmodesmus subspicatus mg/L EC50 113: 96 h Lepomis carpio mg/L EC50 30 - 100: 96 h Desmodesmus subspicatus mg/L EC50 113: 96 h Cyprionus carpio mg/L EC50 semi-static 5.8 - 7.5: 96 h Pseudokirchneriella subcapitata mg/L EC50 113: 96 h Cyprionus carpio mg/L EC50 semi-static 5.8 - 7.5: 96 h Pseudokirchneriella subcapitata mg/L EC50 110: 96 h Desmodesmus subspicatus mg/L EC50 110: 96 h Pimephales promelas mg/L LC50 semi-static 22.1 - 22.8: 96 h Pimephales promelas mg/L LC50 static 4.3 - 8.5: 96 h Oncorhynchus mykiss mg/L LC50 static 4.3 - 8.5: 96 h Oncorhynchus mykiss mg/L LC50 static 4.2 - 96 h Oncorhynchus mykiss mg/L LC50 flow-through 4.2: 96 h Oncorhynchus mykiss mg/L LC50 semi-static 6.0 - 5.75: 96 h Brachydanio rerio mg/L LC50 static 4.0 - 5.75: 96 h Despois macrochirus mg/L LC50 semi-static 4.0 - 5.75: 96 h Pimephales promelas mg/L LC50 static 4.2 - 4.8: 96 h Lepomis macrochirus mg/L LC50 static 4.2 - 4.8: 96 h Lepomis macrochirus mg/L LC50 static 4.2 - 4.8: 96 h Pimephales promelas mg/L LC50 static 4.2 - 4.8: 96 h Pimephales promelas mg/L LC50 static 4.2 - 4.8: 96 h Pimephales promelas mg/L LC50 static 4.2 - 4.8: 96 h Pimephales promelas mg/L LC50 static 4.2 - 4.8: 96 h Pimephales promelas mg/L LC50 static 4.2 - 4.8: 96 h Pimephales promelas mg/L LC50 static 4.0 - 5.75: 96 h				
Oncorhynchus mykiss mg/L LC50 static 0.03 - 0.19: 96 h Oncorhynchus mykiss mg/L LC50 semi-static 0.4 - 0.8: 96 h Lepomis macrochirus mg/L LC50 static 53: 72 h Desmodesmus subspicatus mg/L EC50 static 53: 72 h Desmodesmus subspicatus mg/L EC50 30 - 100: 96 h Desmodesmus subspicatus mg/L EC50 static 53: 72 h Desmodesmus subspicatus mg/L EC50 static 53: 72 h Desmodesmus subspicatus mg/L EC50 semi-static 5.8 - 7.5: 96 h Poseulokirchneriella subcapitata mg/L EC50 semi-static 5.8 - 7.5: 96 h Pimephales promelas mg/L LC50 static 4.3 - 8.5: 96 h Pimephales promelas mg/L LC50 static 6.12: 96 h Pimephales promelas mg/L LC50 static 4.3 - 8.5: 96 h Oncorhynchus mykiss mg/L LC50 static 15 - 18.9: 96 h Pimephales promelas mg/L LC50 static 4.2: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 4.2: 96 h Oncorhynchus mykiss mg/L LC50 remi-static value of the promelas mg/L LC50 remi-static value of the promelas mg/L LC50 static 4.5: 7.5: 96 h Oncorhynchus mykiss mg/L LC50 remi-static value of the promelas mg/L LC50 remi-static value of t				
static 0.03 - 0.19: 96 h Oncorhynchus mykiss mg/L LC50 semi-static 0.4 - 0.8: 96 h Lepomis macrochirus mg/L LC50 static 4 - 0.8: 96 h Lepomis macrochirus mg/L LC50 static 4 - 0.8: 96 h Lepomis macrochirus mg/L LC50 static 4 - 0.8: 96 h Lepomis macrochirus mg/L LC50 static 4 - 0.9: 96 h Desmodesmus subspicatus mg/L EC50 117: 96 h Pseudokirchneriella subcapitata mg/L EC50 Pseudokirchneriella subcapitata mg/L EC50 Pseudokirchneriella subcapitata mg/L EC50 Pseudokirchneriella subcapitata mg/L LC50 static 10.2 - 22.5: 96 h Pimephales promelas mg/L LC50 static 4.3 - 8.5: 96 h Oncorhynchus mykiss mg/L LC50 static 4.3 - 8.5: 96 h Oncorhynchus mykiss mg/L LC50 static 4.3 - 8.5: 96 h Oncorhynchus mykiss mg/L LC50 static 15 - 18.9: 96 h Pimephales promelas mg/L LC50 static 4.62: 96 h Oncorhynchus mykiss mg/L LC50 7.97: 96 h Brachydanio rerio mg/L LC50 flow-through 9.9 - 20.1: 96 h Brachydanio rerio mg/L LC50 static 4.0 - 5.75: 96 h Lepomis macrochirus mg/L LC50 flow-through 6.2 - 9.6: 96 h Pimephales promelas mg/L LC50 static 4.2 - 4.8: 96 h Lepomis macrochirus mg/L LC50 flow-through 6.2 - 9.6: 96 h Pimephales promelas mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus macrochirus mg/L LC50 static 4.2 - 4.8: 96 h Lepomis macrochirus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus macrochirus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus macrochirus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus macrochirus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus macrochirus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus macrochirus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus macrochirus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus macrochirus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus macrochirus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus macrochirus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus macrochirus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus macrochirus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus mg/L LC50 static 4.3 - 8.5: 96 h Desmodesmus mg/L LC50 static 4.3 - 8.5: 96 h Desmodesmus mg/L LC50 static 4.3 - 8.5: 96 h Desmodesmus mg/				
Sodium Lauryl Sulfate 151-21-3 Sodium Lauryl Sulfate 151-21-3 Pseudokirchneriella subcapitata mg/L EC50 static 53: 72 h Desmodesmus subspicatus mg/L EC50 30 - 100: 96 h Desmodesmus subspicatus mg/L EC50 30 - 100: 96 h Desmodesmus subspicatus mg/L EC50 30 - 100: 96 h Desmodesmus subspicatus mg/L EC50 30 - 100: 96 h Desmodesmus subspicatus mg/L EC50 30 - 100: 96 h Desmodesmus subspicatus mg/L EC50 30 - 100: 96 h Desmodesmus subspicatus mg/L EC50 30 - 100: 96 h Desmodesmus subspicatus mg/L EC50 semi-static 5.8 - 7.5: 96 h Pseudokirchneriella subcapitata mg/L LC50 semi-static 10.2 - 2.2: 96 h Pimephales promelas mg/L LC50 semi-static 2.2.1 - 22.8: 96 h Desmodesmus mg/L LC50 static 6.9: 96 h Desmodesmus mg/L LC50 static 4.3 - 8.5: 96 h Oncorhynchus mg/L LC50 static 4.2 - 8.9: 96 h Desmodesmus mg/L LC50 static 4.2 - 8.9: 96 h Desmodesmus mg/L LC50 static 4.2 - 8.9: 96 h Desmodesmus mg/L LC50 static 4.2 - 8.9: 96 h Desmodesmus mg/L LC50 static 4.2 - 8.9: 96 h Desmodesmus mg/L LC50 static 4.2 - 8.9: 96 h Desmodesmus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus mg/L LC50 static 4.2: 96 h Oncorhynchus mykiss mg/L LC50 static 4.2: 96 h Oncorhynchus mykiss mg/L LC50 static 4.2: 96 h Oncorhynchus mykiss mg/L LC50 static 4.2: 96				
Sodium Lauryl Sulfate 151-21-3 Pseudokirchneriella subcapitata mg/L LC50 static 151-21-3 Pseudokirchneriella subcapitata mg/L LC50 static 53: 72 h Desmodesmus subspicatus mg/L EC50 30 - 100: 96 h Desmodesmus subspicatus mg/L EC50 117: 96 h Pseudokirchneriella subcapitata mg/L EC50 static 53: 72 h Desmodesmus subspicatus mg/L EC50 semi-static 53: 75: 96 h Pseudokirchneriella subcapitata mg/L LC50 semi-static 53: 75: 96 h Pseudokirchneriella subcapitata mg/L LC50 semi-static 53: 75: 96 h Pseudokirchneriella subcapitata mg/L LC50 semi-static 53: 75: 96 h Pseudokirchneriella subcapitata mg/L LC50 semi-static 53: 75: 96 h Pseudokirchneriella subcapitata mg/L LC50 semi-static 53: 75: 96 h Pseudokirchneriella subcapitata mg/L LC50 semi-static 53: 75: 96 h Pseudokirchneriella subcapitata mg/L LC50 semi-static 53: 75: 96 h Pseudokirchneriella subcapitata mg/L LC50 static 10: 2 - 22.5: 96 h Pimephales promelas mg/L LC50 static 10: 2 - 22.5: 96 h Pimephales promelas mg/L LC50 static 40: 96 h Oncorhynchus mykiss mg/L LC50 static 15: 18: 98 h Pimephales promelas mg/L LC50 flow-through 42: 96 h Oncorhynchus mykiss mg/L LC50 semi-static 4.06: 9.6: 96 h Pimephales promelas mg/L LC50 static 4.06: 9.6: 96 h Pimephales promelas mg/L LC50 static 4.2: 4.8: 96 h Depomis macrochirus mg/L LC50 flow-through 52: 96: 96 h Pimephales promelas mg/L LC50 flow-through 52: 96: 96 h Pimephales promelas mg/L LC50 flow-through 52: 96: 96 h Pimephales promelas mg/L LC50 flow-through 52: 96: 96 h Pimephales promelas mg/L LC50 flow-through 52: 96: 96 h Pimephales promelas mg/L LC50 flow-through 52: 96: 96 h Pimephales promelas mg/L LC50 flow-through 52: 96: 96 h Pimephales promelas mg/L LC50 flow-through 52: 96: 96 h Pimephales promelas mg/L LC50 flow-through 52: 96: 96 h Pimephales promelas mg/L LC50 flow-through 52: 96: 96 h				
Sodium Lauryl Sulfate 151-21-3 Sodium Lauryl Sulfate 151-21-3 Sodium Lauryl Sulfate 151-21-3 Sodium Lauryl Sulfate 151-21-3 Sodium Lauryl Sulfate Pseudokirchneriella subcapitata mg/L LC50 static 53: 72 h Cosmodesmus subspicatus mg/L EC50 30 - 100: 96 h Desmodesmus subspicatus mg/L EC50 117: 96 h Pseudokirchneriella subcapitata mg/L LC50 semi-static 5.8 - 7.5: 96 h Pimephales promelas mg/L LC50 semi-static 22.1 - 22.8: 96 h Pimephales promelas mg/L LC50 static 4.3 - 8.5: 96 h Oncorhynchus mykiss mg/L LC50 static 4.3 - 8.5: 96 h Oncorhynchus mykiss mg/L LC50 static 6.1 - 18.9: 96 h Pimephales promelas mg/L LC50 static 6.5: 96 h Oncorhynchus mykiss mg/L LC50 static 6.5: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 4.2: 96 h Oncorhynchus mg/L LC50 semi-static 4.06 - 5.75: 96 h Lepomis macrochirus mg/L LC50 semi-static 4.06 - 5.75: 96 h Lepomis macrochirus mg/L LC50 semi-static 4.06 - 5.75: 96 h Lepomis macrochirus mg/L LC50 semi-static 4.06 - 5.75: 96 h Lepomis macrochirus mg/L LC50 semi-static 4.06 - 5.75: 96 h Lepomis macrochirus mg/L LC50 semi-static 4.5: 96 h Oncorhynchus mykiss mg/L LC50 semi-static 4.5: 96 h Oncorhynchus mg/L LC50 semi-static 4.5: 96 h				
Sodium Lauryl Sulfate 151-21-3 Sodium Lauryl Sulfate 151-21-3 Pseudokirchneriella subcapitata mg/L EC50 static 53: 72 h Desmodesmus subspicatus mg/L EC50 10:8 - 16:6:96 h Poecilia reticulata mg/L LC50 static 1:3:96 h Oxprinus carpio mg/L EC50 10:96 h Desmodesmus subspicatus mg/L EC50 117:96 h Pseudokirchneriella subcapitata mg/L EC50 Pseudokirchneriella subcapitata mg/L EC50 Pseudokirchneriella subcapitata mg/L EC50 Pseudokirchneriella subcapitata mg/L LC50 static 10:2 - 22:5:96 h Pimephales promelas mg/L LC50 static 10:2 - 22:5:96 h Pimephales promelas mg/L LC50 static 10:2 - 22:5:96 h Pimephales promelas mg/L LC50 static 10:4:3 - 8:5:96 h Oncorhynchus mykiss mg/L LC50 static 10:4:3 - 8:5:96 h Oncorhynchus mykiss mg/L LC50 static 10:4:3 - 8:5:96 h Oncorhynchus mykiss mg/L LC50 static 10:4:3 - 8:5:96 h Oncorhynchus mykiss mg/L LC50 static 10:4:3 - 8:5:96 h Oncorhynchus mykiss mg/L LC50 static 10:4:3 - 8:5:96 h Oncorhynchus mykiss mg/L LC50 static 10:4:3 - 8:5:96 h Oncorhynchus mykiss mg/L LC50 static 10:4:3 - 8:5:96 h Oncorhynchus mykis mg/L LC50 static 10:4:3 - 8:5:96 h Oncorhynchus mykis mg/L LC50 static 10:4:3 - 8:5:96 h Oncorhynchus mykis mg/L LC50 static 10:4:3 - 8:5:96 h Oncorhynchus mykis mg/L LC50 static 10:4:3 - 8:5:96 h Oncorhynchus mykis mg/L LC50 static 10:4:3 - 8:5:96 h Oncorhynchus mykis mg/L LC50 static 10:4:3 - 8:5:96 h Oncorhynchus mykis mg/L LC50 static 10:4:3 - 8:5:96 h Oncorhynchus mykis mg/L LC50 static 10:4:3 - 8:5:96 h Oncorhynchus mykis mg/L LC50 static 10:4:3 - 8:5:96 h Oncorhynchus mykis mg/L LC50 static 10:4:3 - 8:5:96 h Oncorhynchus mykis mg/L LC50 static 10:4:3 - 8:5:96 h Oncorhynchus mykis mg/L LC50 static 10:4:3 - 8:5:96 h Oncorhynchus mykis mg/L LC50 static 10:4:3 - 8:5:96 h Oncorhynchus mykis mg/L LC50 static 10:4:3 - 8:5:96 h Oncorhynchus mykis mg/L LC50 static 10:4:3 - 8:5:96 h Oncorhynchus mykis mg/L LC50 static 10:4:3 - 8:5:96 h Oncorhynchus mykis mg/L LC50 static 10:4:3 - 8:5:96 h Oncorhynchus mykis mg/L LC50 static 10:4:3 - 8:5:96 h Oncorhynchus mykis mg/L LC5			·	
Pseudokirchneriella subcapitata mg/L EC50 static 53: 72 h Desmodesmus subspicatus mg/L EC50 30 - 100: 96 h Desmodesmus subspicatus mg/L EC50 117: 96 h Pseudokirchneriella subcapitata mg/L EC50 = 17: 96 h Pseudokirchneriella subcapitata mg/L EC50 static 10.2 - 22.5: 96 h Pimephales promelas mg/L LC50 static 4.3 - 8.5: 96 h Oncorhynchus mykiss mg/L LC50 static 15 - 18.9: 96 h Oncorhynchus mykiss mg/L LC50 static 15 - 18.9: 96 h Oncorhynchus mykiss mg/L LC50 static 15 - 18.9: 96 h Oncorhynchus mykiss mg/L LC50 static 4.62: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 4.2: 96 h Oncorhynchus mykiss mg/L LC50 semi-static 4.06 - 5.75: 96 h Brachydanio rerio mg/L LC50 semi-static 4.06 - 5.75: 96 h Lepomis macrochirus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus mg/L LC50 static 4.2 - 4.8: 96 h Desmodesmus mg/L LC50 static 4.2 - 4.8: 96 h Poesilia reticulata mg/L LC50 semi-static 4.90 semi-static				
mg/L EC50 static 53: 72 h Desmodesmus subspicatus mg/L EC50 30 - 100: 96 h Desmodesmus subspicatus mg/L EC50 117: 96 h Pseudokirchneriella subcapitata mg/L EC50 mg/			•	
Desmodesmus subspicatus mg/L EC50 30 - 100: 96 h Desmodesmus subspicatus mg/L EC50 117: 96 h Pseudokirchneriella subcapitata mg/L EC50 117: 96 h Pseudokirchneriella subcapitata mg/L EC50 117: 96 h Pseudokirchneriella subcapitata mg/L EC50 emi-static 22.1 - 22.8: 96 h Pimephales promelas mg/L LC50 static 4.3 - 8.5: 96 h Oncorhynchus mykiss mg/L LC50 static 4.3 - 8.5: 96 h Oncorhynchus mykiss mg/L LC50 static 4.2 - 18.9: 96 h Pimephales promelas mg/L LC50 static 4.2 - 8.9 6 h Oncorhynchus mykiss mg/L LC50 flow-through 4.2: 96 h Desmi-static 4.6 - 5.75: 96 h Espomis macrochirus mg/L LC50 semi-static 4.6 - 4.8: 96 h Lepomis macrochirus mg/L LC50 flow-through 6.2 - 9.6: 96 h Pimephales promelas mg/L LC5	151-21-3			EC50
EC50 30 - 100: 96 h Desmodesmus subspicatus mg/L EC50 117: 96 h Pseudokirchneriella subcapitata mg/L EC50 Pseudokirchneriella subcapitata mg/L EC50 ### Pseudokirchneriella subcapitata mg/L EC50 ### Pimephales promelas mg/L LC50 semi-static 22.1 - 22.8: 96 h Pimephales promelas mg/L LC50 static 4.3 - 8.5: 96 h Oncorhynchus mykiss mg/L LC50 static 8 - 12.5: 96 h Pimephales promelas mg/L LC50 static 15 - 18.9: 96 h Pimephales promelas mg/L LC50 static 4.62: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 4.2: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 9.9 - 20.1: 96 h Pimephales promelas mg/L LC50 flow-through 9.9 - 20.1: 96 h Brachydanio rerio mg/L LC50 flow-through 9.9 - 20.1: 96 h Brachydanio rerio mg/L LC50 semi-static 4.06 - 5.75: 96 h Lepomis macrochirus mg/L LC50 flow-through 9.9 - 20.1: 96 h Pimephales promelas mg/L LC50 static 4.2 - 4.8: 96 h Lepomis macrochirus mg/L LC50 flow-through 9.9 - 20.1: 96 h Pimephales promelas mg/L LC50 flow-through 9.9 - 20.1: 96 h Pimephales promelas mg/L LC50 semi-static 4.06 - 5.75: 96 h Pimephales promelas mg/L LC50 semi-static 4.06 - 5.75: 96 h Pimephales promelas mg/L LC50 flow-through 9.9 - 20.1: 96 h Pimephales promelas mg/L LC50 semi-static 4.06 - 5.75: 96 h Pimephales promelas mg/L LC50 flow-through 9.9 - 20.1: 96 h Pimephales promelas mg/L LC50 semi-static 4.06 - 5.75: 96 h Pimephales promelas mg/L LC50 flow-through 9.9 - 20.1: 96 h Pimephales promelas mg/L LC50 flow-through 9.9 - 20.1: 96 h Pimephales promelas mg/L LC50 flow-through 9.9 - 20.1: 96 h Pimephales promelas mg/L LC50 flow-through 9.9 - 20.1: 96 h Pimephales promelas mg/L LC50 flow-through 9.9 - 20.1: 96 h Pimephales promelas mg/L LC50 flow-through 9.9 - 20.1: 96 h Pimephales promelas mg/L LC50 flow-through 9.9 - 20.1: 96 h Pimephales promelas mg/L LC50 flow-through 9.9 - 20.1: 96 h Pimephales promelas mg/L Detail 10.1:				
subspicatus mg/L EC50 117: 96 h Pseudokirchneriella subcapitata mg/L EC50 Pimephales promelas mg/L LC50 static 10.2 - 22.5: 96 h Pimephales promelas mg/L LC50 static 4.3 - 8.5: 96 h Oncorhynchus mykiss mg/L LC50 static 8 - 12.5: 96 h Pimephales promelas mg/L LC50 static 15 - 18.9: 96 h Pimephales promelas mg/L LC50 static 4.62: 96 h Oncorhynchus mykiss mg/L LC50 static 15 - 18.9: 96 h Pimephales promelas mg/L LC50 static 4.62: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 4.2: 96 h Oncorhynchus mykiss mg/L LC50 7.97: 96 h Brachydanio rerio mg/L LC50 flow-through 9.9 - 20.1: 96 h Brachydanio rerio mg/L LC50 semi-static 4.06 - 5.75: 96 h Lepomis macrochirus mg/L LC50 static 4.2 - 4.8: 96 h Lepomis macrochirus mg/L LC50 flow-through 6.2 - 9.6: 96 h Pimephales promelas mg/L LC50 13.5 - 18.3: 96 h Poecilia reticulata mg/L LC50 semi-static Sodium Hydroxide				
Pseudokirchneriella subcapitata mg/L EC50 static 10.2 - 22.5: 96 h Pimephales promelas mg/L LC50 semi-static 22.1 - 22.8: 96 h Pimephales promelas mg/L LC50 static 4.3 - 8.5: 96 h Oncorhynchus mykiss mg/L LC50 static 8 - 12.5: 96 h Pimephales promelas mg/L LC50 static 15 - 18.9: 96 h Pimephales promelas mg/L LC50 static 15 - 18.9: 96 h Pimephales promelas mg/L LC50 static 4.0: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 4.2: 96 h Oncorhynchus mykiss mg/L LC50 7.97: 96 h Brachydanio rerio mg/L LC50 flow-through 9.9 - 20.1: 96 h Brachydanio rerio mg/L LC50 semi-static 4.06 - 5.75: 96 h Lepomis macrochirus mg/L LC50 static 4.2 - 4.8: 96 h Lepomis macrochirus mg/L LC50 flow-through 6.2 - 9.6: 96 h Pimephales promelas mg/L LC50 static 4.2 - 4.8: 96 h Pimephales promelas mg/L LC50 static 4.2 - 5.75: 96 h Semi-static 4.96 - 5.75: 96 h Semi-static 4.96 h Pimephales promelas mg/L LC50 static 4.2 - 4.8: 96 h Lepomis macrochirus mg/L LC50 static 4.2 - 5.75: 96 h Pimephales promelas mg/L LC50 static 4.2 - 5.75: 96 h Pimephales promelas mg/L LC50 static 4.2 - 5.75: 96 h Pimephales promelas mg/L LC50 static 4.2 - 5.75: 96 h Pimephales promelas mg/L LC50 static 4.2 - 5.75: 96 h Pimephales promelas mg/L LC50 static 4.2 - 5.75: 96 h Pimephales promelas mg/L LC50 static 4.2 - 5.75: 96 h Pimephales promelas mg/L LC50 static 4.2 - 5.75: 96 h Pimephales promelas mg/L LC50 static 4.2 - 5.75: 96 h Pimephales promelas mg/L LC50 static 4.2 - 5.75: 96 h Pimephales promelas mg/L LC50 static 4.2 - 5.75: 96 h Pimephales promelas mg/L LC50 static 4.2 - 5.75: 96 h Pimephales promelas mg/L LC50 static 4.2 - 5.75: 96 h Pimephales promelas mg/L LC50 static 4.2 - 5.75: 96 h Pimephales promelas mg/L LC50 static 4.2 - 5.75: 96 h Pimephales promelas mg/L LC50 static 4.2 - 5.75: 96 h Pimephales promelas mg/L LC50 static 4.2 - 5.75: 96 h Pimephales promelas mg/L LC50 static 4.2 - 5.75: 96 h Pimephales promelas mg/L LC50 static 4.5 - 5.75: 96 h Pimephales promelas mg/L LC50 static 4.5 - 5.75: 96 h Pimephales promelas mg/L LC50 static 4.5 - 5.75:				
mg/L EC50 promelas mg/L LC50 semi-static 22.1 - 22.8: 96 h Pimephales promelas mg/L LC50 static 4.3 - 8.5: 96 h Oncorhynchus mykiss mg/L LC50 static 8 - 12.5: 96 h Pimephales promelas mg/L LC50 static 15 - 18.9: 96 h Pimephales promelas mg/L LC50 static 4.62: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 4.2: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 9.9 - 20.1: 96 h Brachydanio rerio mg/L LC50 flow-through 9.9 - 20.1: 96 h Brachydanio rerio mg/L LC50 semi-static 4.06 - 5.75: 96 h Lepomis macrochirus mg/L LC50 static 4.2 - 4.8: 96 h Lepomis macrochirus mg/L LC50 flow-through 6.2 - 9.6: 96 h Pimephales promelas mg/L LC50 13.5 - 18.3: 96 h Poecilia reticulata mg/L LC50 semi-static Sodium Hydroxide				
22.1 - 22.8: 96 h Pimephales promelas mg/L LC50 static 4.3 - 8.5: 96 h Oncorhynchus mykiss mg/L LC50 static 8 - 12.5: 96 h Pimephales promelas mg/L LC50 static 15 - 18.9: 96 h Pimephales promelas mg/L LC50 static 4.62: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 42: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 42: 96 h Oncorhynchus mykiss mg/L LC50 7.97: 96 h Brachydanio rerio mg/L LC50 flow-through 9.9 - 20.1: 96 h Brachydanio rerio mg/L LC50 semi-static 4.06 - 5.75: 96 h Lepomis macrochirus mg/L LC50 static 4.2 - 4.8: 96 h Lepomis macrochirus mg/L LC50 flow-through 6.2 - 9.6: 96 h Pimephales promelas mg/L LC50 13.5 - 18.3: 96 h Poecilia reticulata mg/L LC50 semi-static				
promelas mg/L LC50 static 4.3 - 8.5: 96 h Oncorhynchus mykiss mg/L LC50 static 8 - 12.5: 96 h Pimephales promelas mg/L LC50 static 15 - 18.9: 96 h Pimephales promelas mg/L LC50 static 4.62: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 4.2: 96 h Oncorhynchus mykiss mg/L LC50 7.97: 96 h Brachydanio rerio mg/L LC50 flow-through 9.9 - 20.1: 96 h Brachydanio rerio mg/L LC50 semi-static 4.06 - 5.75: 96 h Lepomis macrochirus mg/L LC50 static 4.2 - 4.8: 96 h Lepomis macrochirus mg/L LC50 flow-through 6.2 - 9.6: 96 h Pimephales promelas mg/L LC50 13.5 - 18.3: 96 h Poecilia reticulata mg/L LC50 semi-static Sodium Hydroxide		mg/L EC50		
96 h Oncorhynchus mykiss mg/L LC50 static 8 - 12.5: 96 h Pimephales promelas mg/L LC50 static 15 - 18.9: 96 h Pimephales promelas mg/L LC50 static 4.62: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 4.2: 96 h Oncorhynchus mykiss mg/L LC50 7.97: 96 h Brachydanio rerio mg/L LC50 flow-through 9.9 - 20.1: 96 h Brachydanio rerio mg/L LC50 semi-static 4.06 - 5.75: 96 h Lepomis macrochirus mg/L LC50 static 4.2 - 4.8: 96 h Lepomis macrochirus mg/L LC50 flow-through 6.2 - 9.6: 96 h Pimephales promelas mg/L LC50 13.5 - 18.3: 96 h Poecilia reticulata mg/L LC50 semi-static Sodium Hydroxide - 45.4: 96 h Oncorhynchus mykiss				
LC50 static 8 - 12.5: 96 h Pimephales promelas mg/L LC50 static 15 - 18.9: 96 h Pimephales promelas mg/L LC50 static 4.62: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 4.2: 96 h Oncorhynchus mykiss mg/L LC50 7.97: 96 h Brachydanio rerio mg/L LC50 flow-through 9.9 - 20.1: 96 h Brachydanio rerio mg/L LC50 semi-static 4.06 - 5.75: 96 h Lepomis macrochirus mg/L LC50 static 4.2 - 4.8: 96 h Lepomis macrochirus mg/L LC50 flow-through 6.2 - 9.6: 96 h Pimephales promelas mg/L LC50 13.5 - 18.3: 96 h Poecilia reticulata mg/L LC50 semi-static				
Pimephales promelas mg/L LC50 static 15 - 18.9: 96 h Pimephales promelas mg/L LC50 static 4.62: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 4.2: 96 h Oncorhynchus mykiss mg/L LC50 7.97: 96 h Brachydanio rerio mg/L LC50 flow-through 9.9 - 20.1: 96 h Brachydanio rerio mg/L LC50 semi-static 4.06 - 5.75: 96 h Lepomis macrochirus mg/L LC50 static 4.2 - 4.8: 96 h Lepomis macrochirus mg/L LC50 flow-through 6.2 - 9.6: 96 h Pimephales promelas mg/L LC50 13.5 - 18.3: 96 h Poecilia reticulata mg/L LC50 semi-static Sodium Hydroxide - 45.4: 96 h Oncorhynchus mykiss				
static 15 - 18.9: 96 h Pimephales promelas mg/L LC50 static 4.62: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 4.2: 96 h Oncorhynchus mykiss mg/L LC50 7.97: 96 h Brachydanio rerio mg/L LC50 flow-through 9.9 - 20.1: 96 h Brachydanio rerio mg/L LC50 semi-static 4.06 - 5.75: 96 h Lepomis macrochirus mg/L LC50 static 4.2 - 4.8: 96 h Lepomis macrochirus mg/L LC50 flow-through 6.2 - 9.6: 96 h Pimephales promelas mg/L LC50 13.5 - 18.3: 96 h Poecilia reticulata mg/L LC50 semi-static Sodium Hydroxide - 45.4: 96 h Oncorhynchus mykiss -				
promelas mg/L LC50 static 4.62: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 4.2: 96 h Oncorhynchus mykiss mg/L LC50 7.97: 96 h Brachydanio rerio mg/L LC50 flow-through 9.9 - 20.1: 96 h Brachydanio rerio mg/L LC50 semi-static 4.06 - 5.75: 96 h Lepomis macrochirus mg/L LC50 static 4.2 - 4.8: 96 h Lepomis macrochirus mg/L LC50 flow-through 6.2 - 9.6: 96 h Pimephales promelas mg/L LC50 13.5 - 18.3: 96 h Poecilia reticulata mg/L LC50 semi-static Sodium Hydroxide - 45.4: 96 h Oncorhynchus mykiss				
h Oncorhynchus mykiss mg/L LC50 flow-through 4.2: 96 h Oncorhynchus mykiss mg/L LC50 7.97: 96 h Brachydanio rerio mg/L LC50 flow-through 9.9 - 20.1: 96 h Brachydanio rerio mg/L LC50 semi-static 4.06 - 5.75: 96 h Lepomis macrochirus mg/L LC50 static 4.2 - 4.8: 96 h Lepomis macrochirus mg/L LC50 flow-through 6.2 - 9.6: 96 h Pimephales promelas mg/L LC50 13.5 - 18.3: 96 h Poecilia reticulata mg/L LC50 semi-static Sodium Hydroxide - 45.4: 96 h Oncorhynchus mykiss -				
flow-through 4.2: 96 h Oncorhynchus mykiss mg/L LC50 7.97: 96 h Brachydanio rerio mg/L LC50 flow-through 9.9 - 20.1: 96 h Brachydanio rerio mg/L LC50 semi-static 4.06 - 5.75: 96 h Lepomis macrochirus mg/L LC50 static 4.2 - 4.8: 96 h Lepomis macrochirus mg/L LC50 flow-through 6.2 - 9.6: 96 h Pimephales promelas mg/L LC50 13.5 - 18.3: 96 h Poecilia reticulata mg/L LC50 semi-static Sodium Hydroxide - 45.4: 96 h Oncorhynchus mykiss -				
Oncorhynchus mykiss mg/L LC50 7.97: 96 h Brachydanio rerio mg/L LC50 flow-through 9.9 - 20.1: 96 h Brachydanio rerio mg/L LC50 semi-static 4.06 - 5.75: 96 h Lepomis macrochirus mg/L LC50 static 4.2 - 4.8: 96 h Lepomis macrochirus mg/L LC50 flow-through 6.2 - 9.6: 96 h Pimephales promelas mg/L LC50 13.5 - 18.3: 96 h Poecilia reticulata mg/L LC50 semi-static Sodium Hydroxide - 45.4: 96 h Oncorhynchus mykiss -				
7.97: 96 h Brachydanio rerio mg/L LC50 flow-through 9.9 - 20.1: 96 h Brachydanio rerio mg/L LC50 semi-static 4.06 - 5.75: 96 h Lepomis macrochirus mg/L LC50 static 4.2 - 4.8: 96 h Lepomis macrochirus mg/L LC50 flow-through 6.2 - 9.6: 96 h Pimephales promelas mg/L LC50 13.5 - 18.3: 96 h Poecilia reticulata mg/L LC50 semi-static Sodium Hydroxide - 45.4: 96 h Oncorhynchus mykiss				
LC50 flow-through 9.9 - 20.1: 96 h Brachydanio rerio mg/L LC50 semi-static 4.06 - 5.75: 96 h Lepomis macrochirus mg/L LC50 static 4.2 - 4.8: 96 h Lepomis macrochirus mg/L LC50 flow-through 6.2 - 9.6: 96 h Pimephales promelas mg/L LC50 13.5 - 18.3: 96 h Poecilia reticulata mg/L LC50 semi-static Sodium Hydroxide - 45.4: 96 h Oncorhynchus mykiss -				
Brachydanio rerio mg/L LC50 semi-static 4.06 - 5.75: 96 h Lepomis macrochirus mg/L LC50 static 4.2 - 4.8: 96 h Lepomis macrochirus mg/L LC50 flow-through 6.2 - 9.6: 96 h Pimephales promelas mg/L LC50 13.5 - 18.3: 96 h Poecilia reticulata mg/L LC50 semi-static Sodium Hydroxide - 45.4: 96 h Oncorhynchus mykiss -				
semi-static 4.06 - 5.75: 96 h Lepomis macrochirus mg/L LC50 static 4.2 - 4.8: 96 h Lepomis macrochirus mg/L LC50 flow-through 6.2 - 9.6: 96 h Pimephales promelas mg/L LC50 13.5 - 18.3: 96 h Poecilia reticulata mg/L LC50 semi-static Sodium Hydroxide - 45.4: 96 h Oncorhynchus mykiss -				
Lepomis macrochirus mg/L LC50 static 4.2 - 4.8: 96 h Lepomis macrochirus mg/L LC50 flow-through 6.2 - 9.6: 96 h Pimephales promelas mg/L LC50 13.5 - 18.3: 96 h Poecilia reticulata mg/L LC50 semi-static Sodium Hydroxide - 45.4: 96 h Oncorhynchus mykiss -				
static 4.2 - 4.8: 96 h Lepomis macrochirus mg/L LC50 flow-through 6.2 - 9.6: 96 h Pimephales promelas mg/L LC50 13.5 - 18.3: 96 h Poecilia reticulata mg/L LC50 semi-static Sodium Hydroxide - 45.4: 96 h Oncorhynchus mykiss -				
macrochirus mg/L LC50 flow-through 6.2 - 9.6: 96 h Pimephales promelas mg/L LC50 13.5 - 18.3: 96 h Poecilia reticulata mg/L LC50 semi-static Sodium Hydroxide - 45.4: 96 h Oncorhynchus mykiss -				
flow-through 6.2 - 9.6: 96 h Pimephales promelas mg/L LC50 13.5 - 18.3: 96 h Poecilia reticulata mg/L LC50 semi-static Sodium Hydroxide - 45.4: 96 h Oncorhynchus mykiss -			·	
Pimephales promelas mg/L LC50 13.5 - 18.3: 96 h Poecilia reticulata mg/L LC50 semi-static Sodium Hydroxide - 45.4: 96 h Oncorhynchus mykiss -				
13.5 - 18.3: 96 h Poecilia reticulata mg/L LC50 semi-static Sodium Hydroxide - 45.4: 96 h Oncorhynchus mykiss -				
Sodium Hydroxide - 45.4: 96 h Oncorhynchus mykiss -				
			mg/L LC50 semi-static	
1310-73-2 mg/L L C50 static	Sodium Hydroxide	-	45.4: 96 h Oncorhynchus mykiss	-
1010-10-2 Hig/L L000 Static	1310-73-2		mg/L LC50 static	

Sodium Sulfate 7757-82-6	-	13500: 96 h Lepomis macrochirus mg/L LC50 13500 - 14500: 96 h Pimephales promelas mg/L LC50 3040 - 4380: 96 h Lepomis macrochirus mg/L LC50 static 6800: 96 h Pimephales promelas mg/L LC50 static	630: 96 h Daphnia magna mg/L EC50 2564: 48 h Daphnia magna mg/L EC50
1-Octanol 111-87-5	14: 48 h Desmodesmus subspicatus mg/L EC50 static	11.4 - 12.9: 96 h Pimephales promelas mg/L LC50 flow-through 17.68: 96 h Oncorhynchus mykiss mg/L LC50 static	15 - 26: 24 h Daphnia magna mg/L EC50
Sodium Chloride 7647-14-5	-	5560 - 6080: 96 h Lepomis macrochirus mg/L LC50 flow-through 6420 - 6700: 96 h Pimephales promelas mg/L LC50 static 4747 - 7824: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 12946: 96 h Lepomis macrochirus mg/L LC50 static 6020 - 7070: 96 h Pimephales promelas mg/L LC50 static 7050: 96 h Pimephales promelas mg/L LC50 semi-static	340.7 - 469.2: 48 h Daphnia magna mg/L EC50 Static 1000: 48 h Daphnia magna mg/L EC50

Persistence and degradability

No Information available.

Bioaccumulation

No Information available.

Other adverse effects No Information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION

The shipping classification information in this section (Section 14) is meant as a guide to the overall classification of the product. However, transportation classifications may be subject to change with changes in package size. Consult shipper requirements under 49 CFR, IATA and IMDG to assure regulatory compliance.

DOT Not regulated

15. REGULATORY INFORMATION

International Inventories

Complies **TSCA DSL/NDSL** Complies Does not comply **EINECS/ELINCS** Does not comply **ENCS IECSC** Does not comply **KECL** Does not comply **PICCS** Does not comply Does not comply **AICS**

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List.

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium Hypochlorite 7681-52-9	100 lb	-	-	Х

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium Hypochlorite	100 lb	-	RQ 100 lb final RQ
7681-52-9			RQ 45.4 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Sodium Hypochlorite 7681-52-9	X	X	X
Sodium Hydroxide 1310-73-2	X	X	X
Sodium Sulfate 7757-82-6	-	X	X
1-Octanol 111-87-5	-	-	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION					
HMIS	Health hazards 3	Flammability 0	Physical hazards 0	Personal protection X	

<u>Legend</u>

N/A - Not Applicable N/E - Not Established N/D - Not Determined N/K - Not Known

Revision Date 21-Nov-2016

Revision Note No Information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet